



YOKOGAWA SEPARATES SYSTEM



YG-5610



YG-5710



YG-PT1000



Specifications 5610pH Glass Electrode:	
pH Range	:0-13.5
Temp Range	:0-90 deg
Pressure	:10 Bar
Reference	:against 5710
Impedence	:<150 MOhms
Dimension	:12x120mm
Connector	:YOKOGAWA
Part No.	:YG-5610

Specifications 5710 Reflex Reference Electrode:	
Temp Range	:0-90 deg
Pressure	:10 Bar
Reference	:against 5610
Impedence	:<50 KOhms
Dimension	:12x120mm
Connector	:YOKOGAWA
Part No.	:YG-5710

Specifications Pt 100 Temperature Compensator:	
Temp Range	:1000 Ohms at 0C
Pressure	:10 Bar
Reference	:against 5710 and 5610
Dimension	:12x120mm
Connector	:YOKOGAWA
Part No.	:YG-Pt1000

mail address:

REFEX SENSORS LTD.
PHILI'S OAK, MURRISK
CO.MAYO, REP. OF IRELAND

telephone/fax:

TEL:+353 (0)98 64972
TEL:+353 (0)98 64973
FAX:+353 (0)98 64974

bank details:


A I B, Shop St, Westport, Co.Mayo
Account Number: 03311024
Sort Code: 93 71 69 - Swift: AIBKIE2D
VAT Number. : 6380870 I

internet:

tech@refexsensors.com
admin@refexsensors.com
www.refexsensors.com

LASTS 3 TIMES LONGER ... ZERO MAINTENANCE

YG - 2001 / 2001-Ti02
 Equivalent to SC21-AGP24 / SC21-AGP25



Specifications:	
pH Range	: 0 - 13 (100MegOhm)
Temp Range	: 0 - 80degC
Pressure	: 10 Bar Max
Reference	: Ag/AgCl
Junction	: Non Porous Reflex Polymeric
	dia=10mm x L=30mm(20KOhm)
Dimension	: dia=12mm x L = 120mm
Yokogawa Head Cap Connector	

LASTS 3 TIMES LONGER ... ZERO MAINTENANCE

mail address:
 REFEX SENSORS LTD.
 PHILI'S OAK, MURRISK
 CO.MAYO, REP. OF IRELAND

telephone/fax:
 TEL:+353 (0)98 64972
 TEL:+353 (0)98 64973
 FAX:+353 (0)98 64974

bank details:
 A I B, Shop St, Westport, Co.Mayo
 Account Number: 03311024
 Sort Code: 93 71 69 - Swift: AIBKIE2D
 VAT Number. : 6380870 I


internet:
tech@refexsensors.com
admin@refexsensors.com
www.refexsensors.com

YG - 3/4"-2001-Pt1000-LE-5m

Equivalent to FU-20



Low Noise Coaxial Cable
+4 wires



- Transparent (pH)
- Copper Braid (pH Screen)
- Solution Ground (Blue)
- Refex (Green)
- T.C. (Red)
- T.C. (White)

Specifications	
YG-3/4"-2001-Pt1000-LE-5m	
pH Range	:0-13.5
Temp Range	:0-90 deg C
Pressure	:20 Bar @ 50 deg C
Reference	:<50 mOhm
Eo Zero	:pH 7.0 ± 15 mV
Impedence	:<150 mOhm
Drift	:2 mV / Week
Connector	:Tags for hard wiring
Cable Length	:5m (Other lengths available)
Part No.	:YG-3/4"-2001-Pt1000-LE-5m

mail address:

REFEX SENSORS LTD.
PHILI'S OAK, MURRISK
CO.MAYO, REP. OF IRELAND

telephone/fax:

TEL:+353 (0)98 64972
TEL:+353 (0)98 64973
FAX:+353 (0)98 64974

bank details:

A I B, Shop St, Westport, Co.Mayo
Account Number: 03311024
Sort Code: 93 71 69 - Swift: AIBKIE2D
VAT Number. : 6380870 I

internet:

tech@refexsensors.com
admin@refexsensors.com
www.refexsensors.com

LASTS 3 TIMES LONGER ... ZERO MAINTENANCE